Locker & Riley Cornice Range Specifier Guide

From our renowned archive of mouldings, our master team handcrafts every cornice in plain, decorative and genuine period patterns. Each length of cornice is handmade by our craftsmen and delivered from our Studio directly to your project on a supply only basis or for installation by our experienced tradesmen.















LR11	Depth: 68mm Projection: 75mm Length: 3000mm
75	
LR12	Depth: 55mm Projection: 80mm Length: 3000mm
80	
LR13	Depth: 80mm Projection: 62mm Length: 3000mm
62	
LR14	Depth: 75mm Projection: 80mm Length: 3000mm
20 a a a a a a a a a a a a a a a a a a a	
LR15	Depth: 78mm Projection: 79mm Length: 3000mm
79 2 4 4	

















LR46	Depth: 92mm Projection: 100mm Length: 3000mm
160	
LR47	Depth: 150mm Projection: 118mm Length: 3000mm
LR48	Depth: 155mm Projection: 110mm Length: 3000mm
LR49	Depth: 100mm Projection: 162mm Length: 3000mm
162	
LR50	Depth: 76mm Projection: 176mm Length: 3000mm
g 176	





Locker & Riley







LR66	Depth: 152mm Projection: 244mm Length: 3000mm
244 25	
LR67	Depth: 135mm Projection: 275mm Length: 2800mm
275	
LR68	Depth: 220mm Projection: 220mm Length: 3000mm
220	
LR69	Depth: 212mm Projection: 237mm Length: 3000mm
237	
LR70	Depth: 124mm Projection: 188mm Length: 3000mm
188	











LR300



Depth: 75mm | Projection: 80mm | Length: 3115mm




LR301




Depth: 87mm | Projection: 70mm | Length: 2960mm




LR302



Depth: 70mm | Projection: 87mm | Length: 2900mm




LR303



Depth: 102mm | Projection:68 mm | Length: 2870mm



LR304





Depth: 100mm | Projection: 80mm | Length: 2800mm






Depth: 116mm | Projection: 67mm | Length: 3115mm







LR306








LR307



Depth: 94mm | Projection: 102mm | Length: 3000mm




LR308




Depth: 98mm | Projection: 100mm | Length: 3000mm




LR309



Depth: 90mm | Projection: 110mm | Length: 3000mm










Depth: 150mm | Projection: 70mm | Length: 3000mm




LR316



Depth: 110mm | Projection: 123mm | Length: 3000mm




LR317



Depth: 112mm | Projection: 125mm | Length: 2060mm




LR318




Depth: 150mm | Projection: 56mm | Length: 3090mm





LR319



Depth: 122mm | Projection: 120mm | Length: 2930mm












Depth: 178mm | Projection: 180mm | Length: 2900mm






LR336






LR337








LR338



Depth: 175mm | Projection: 190mm | Length: 3100mm



LR339




Depth: 188mm | Projection: 208mm | Length: 3000mm



LR340


Depth: 110mm | Projection: 240mm | Length: 3000mm





LR341


Depth: 110mm | Projection: 240mm | Length: 3000mm





LR342


Depth: 112mm | Projection: 242mm | Length: 3000mm





LR343

Depth: 110mm | Projection: 240mm | Length: 3000mm





LR344

Depth: 110mm | Projection: 237mm | Length: 3000mm





LR345


Depth: 217mm | Projection: 233mm | Length: 3000mm





LR346


Depth: 218mm | Projection: 194mm | Length: 3200mm





LR347


Depth: 202mm | Projection: 203mm | Length: 2900mm





LR348


Depth: 210mm | Projection: 200mm | Length: 3120mm





LR349

Depth: 210mm | Projection: 200mm | Length: 3120mm







LR350



Depth: 207mm | Projection: 219mm | Length: 3100mm



LR351



Depth: 225mm | Projection: 207mm | Length: 3000mm




LR352



Depth: 346mm | Projection: 87mm | Length: 3100mm




LR353



Depth: 160mm | Projection: 306mm | Length: 3000mm



LR354



Depth: 150mm | Projection: 325mm | Length: 2870mm



LR355


Depth: 145mm | Projection: 325mm | Length: 2860mm





LR356

Depth: 305mm | Projection: 191mm | Length: 3000mm





LR357

Depth: 380mm | Projection: 102mm | Length: 2860mm





LR358

Depth: 190mm | Projection: 365mm | Length: 3000mm






LR359

Depth: 129mm | Projection: 395mm | Length: 2850mm







Types of Mitre

Installation of our plaster cornices should always be carried out by a skilled tradesmen, at Locker & Riley we offer a full installation service of all of our products and our sales team are happy to assist with any enquiry.

The overall finished look of your cornice installation will be highly dependent on the internal and external mitres. There are four main options for the installation and finish of the mitres which can be chosen and discussed with your installation team.

Mirrored







A mirrored mitre is symmetrical and best suited to a cornice containing a uniformed enrichment such as an Egg & Dart, Dentil, Lambs Tongue or Leaf. This type of mitre can be cut and made good on site from the manufactured straight lengths and requires setting out and measuring of the pattern.

Balanced







Balance mitres refer to mitres being consistent throughout the room. To achieve balanced mitres a survey of the room is carried out and technical drawing created to plan how stretching the mould can assist to cast sections of the cornice enabling the mitres to be installed to a balanced finish.

Best fit









A "best fit" mitre is synonymous with cornices that have enrichments with a natural flowing pattern. The mitre is once again cut and made good on site with the manufactured straight lengths however setting out is planned around the room to leave the single mitre that may not be a true "best fit" in the most discrete location of the room.

Leaf or Preformed Mitre







A mitre leaf is a separate enrichment specifically designed to dress over the cornice enrichment to cover the mitred cornice. A mitre leaf is often used on an Egg & Dart or Lambs Tongue and offers a timely & cost effective solution for mitre installation.

A preformed mitre is cast from a bespoke mould manufactured following a survey of the room where the cornice is to be installed. The bespoke mould is designed and modelled to perfectly balance the enrichment on every mitre.

Ceiling Roses Range Specifier Guide

Adorn your space with beautifully handcrafted plaster ceiling roses for a truly classic look. Each ceiling rose is handmade by our craftsmen and delivered from our Studio directly to your project on a supply only basis or for installation by our experienced tradesmen.







Ceiling Centre Range



Depth: 1052mm | Projection: 24mm | Length: 660mm



Depth: 673mm | Projection: 20mm | Length: 345mm



Diameter: 666mm | Projection: 22mm | Centre Aperture: 138mm



Diameter: 641mm | Projection: 27mm See also CC21



Diameter: 394mm | Projection: 18mm See also CC22



Diameter: 562mm | Projection: 33mm See also CC07



Diameter: 480mm | Projection: 30mm See also CC06




Diameter: 526mm | Projection: 26mm See also CC10



Diameter: 432mm | Projection: 21mm Centre Aperture: 78mm See also CC17

CC10

CC13



Diameter: 605mm Projection: 35mm See also CC08



Diameter: 624mm Projection: 61mm

CC12



Diameter: 444mm Projection: 60mm See also CC23

CC14



Diameter: 457mm | Projection: 81mm Centre Aperture: 81mm

CC15



Diameter: 304mm | Projection: 23mm Centre Aperture: 86mm

Diameter: 627mm Projection: 32mm | Centre Aperture: 93mm



Diameter: 248mm | Projection: 24mm Centre Aperture: 104mm





Diameter: 533mm | Projection: 21mm Centre Aperture: 84mm See also CC09



Diameter: 323mm | Projection: 80mm See also CC19





Diameter: 254mm | Projection: 45mm See also CC19



Diameter: 624mm | Projection: 49mm | Centre Aperture: 136mm



Diameter: 641mm | Projection: 26mm | Centre Aperture: 139mm See also CC04



Diameter: 394mm | Projection: 11mm | Centre Aperture: 78mm See also CC05



Diameter: 458mm | Projection: 60mm | Centre Aperture: 70mm See also CC12



Diameter: 600mm | Projection: 92mm See also CC25



Diameter: 600mm | Projection: 75mm | Centre Aperture: 116mm See also CC24



Diameter: 395mm | Projection: 35mm See also CC27



Diameter: 714mm Projection: 49mm

CC33 Diameter: 700mm

Diameter: 550mm | Projection: 27mm

Diameter: 915mm | Projection: 52mm Centre Aperture: 136mm See also CC46

CC32



Diameter: 460mm | Projection: 24mm | Centre Aperture: 58mm

CC35



Diameter: 490mm | Projection: 36mm | Centre Aperture: 92mm



Diameter: 630mm | Projection: 72mm

Diameter: 870mm | Projection: 76mm | Centre Aperture: 108mm



Diameter: 670mm | Projection: 34mm



Diameter: 680mm | Projection: 26mm



CC37

Diameter: 820mm | Projection: 50mm



Diameter: 605mm | Projection: 52mm | Centre Aperture: 73mm See also CC42



Diameter: 1000mm | Projection: 84mm | Centre Aperture: 100mm See also CC40



Diameter: 470mm | Projection: 38mm | Centre Aperture: 74mm



Diameter: 974mm | Projection: 81mm

CC43

CC45

Diameter: 1000mm | Projection: 48mm | Centre Aperture: 158mm



Diameter: 1035mm | Projection: 18mm | Centre Aperture: 85mm

See also CC50



Diameter: 1600mm | Centre Aperture: 46mm See also CC29



Diameter: 1360mm See also CC49

Frieze Range Specifier Guide

Heighten the grandeur of any property with the perfect complement to our plaster cornices. Each section of frieze is handmade by our craftsmen and delivered from our Studio directly to your project on a supply only basis or for installation by our experienced tradesmen.







FR01




Depth: 155mm | Projection: 28mm | Length: 1150mm



FR02




Depth: 173mm | Projection: 30mm | Length: 1345mm




FR03



Depth: 92mm | Projection: 15mm | Length: 1600mm



FR04



Depth: 185mm | Projection: 35 | Length: 2828mm



FR05




Depth: 260mm | Projection: 45mm | Length: 3000mm



FR06

Depth: 99mm | Projection: 21mm | Length: 2500mm






FR07









FR08



Depth: 267mm | Projection: 25mm | Length: 2400mm



FR09



Depth: 143mm | Projection: 19mm | Length: 2500mm



FR10



Depth: 206mm | Projection: 34mm | Length: 2500mm







Depth: 205mm | Projection: 33mm | Length: 2500mm




FR12




Depth: 230mm | Projection: 35mm | Length: 2470mm



FR13




Depth: 112mm | Projection: 33mm | Length: 2500mm



FR14



Depth: 200mm | Projection: 18mm | Length: 3100mm




FR15



Depth: 244mm | Projection: 45mm | Length: 2000mm




FR16



Depth: 175mm | Projection: 36mm | Length: 2150mm



FR17



Depth: 147mm | Projection: 25mm | Length: 2050mm




Panel Mould Range Specifier Guide

Dress featureless walls and ceilings with our finely crafted panel moulds and dado rails. Please also visit our enriched and wall paneling section for further inspiration on your project using our panel moulds and dado rails. Each length of panel mould is handmade by our craftsmen and delivered from our Studio directly to your project on a supply only basis or for installation by our experienced tradesmen.





























PD26




Depth: 100mm | Projection: 21mm | Length: 2000mm




PD27




Depth: 29mm | Projection: 15mm | Length: 1700mm




PD28



Depth: 30mm | Projection: 20mm | Length: 2000mm




PD29



Depth: 33mm | Projection: 18mm | Length: 1500mm




PD30



Depth: 38mm | Projection: 16mm | Length: 1490mm



PD31



Depth: 39mm | Projection: 26mm | Length: 2340mm




PD32



Depth: 41mm | Projection: 18mm | Length: 1980mm



PD33



Depth: 47mm | Projection: 24mm | Length: 1760mm




PD34



Depth: 48mm | Projection: 29mm | Length: 1900mm




PD35



Depth: 60mm | Projection: 33mm | Length: 1780mm




PD36



Depth: 71mm | Projection: 21mm | Length: 2000mm



PD37



Depth: 90mm | Projection: 23mm | Length: 2000mm



PD38



Depth: 100mm | Projection: 18mm | Length: 2000mm



PC01 Depth: 41mm | Projection: 19mm | Length: 235mm PD09




PC02 Depth: 29mm | Projection: 13mm | Length: 120mm PD02



PC03 Depth: 48mm | Projection: 23mm | Length: 155mm PD16



PC04 Depth: 41mm | Projection: 19mm | Length: 127 mm PD09



PC05 Depth: 41mm | Projection: 19mm | Length: 90mm PD09



PC06 Depth: 41mm | Projection: 19mm | Length: 178mm PD09



PC07 Depth: 48mm | Projection: 23mm | Length: 198mm PD16



PC08 Depth: 29mm | Projection: 15mm | Length: 150mm

PD27



PC09 Depth: 33mm | Projection: 18mm | Length: 198mm

PD29



PC10 Depth: 60mm | Projection: 33mm | Length: 217mm PD35



PC11 Depth:38mm | Projection: 16mm | Length: 205mm PD30



PC12 Depth: 48mm | Projection: 23mm | Length: 400mm PD16



PC13 Depth: 25mm | Projection: 13mm | Length: 281mm



